

+You Web Images Videos Maps News Gmail More+

Sign in

Google scholar

displaying the selectable image data including [Advanced Scholar Search](#)

Scholar Articles and patents

anytime

include citations

[Create email alert](#)

Results **1 - 30** of about **42,100**. (0.29 sec)

Method for simultaneously **displaying** an **image** and an enlarged view of a **selectable** portion of the **image** with different levels of dot detail resolution

H Hama... - US Patent 4,751,507, 1988 - Google Patents

... 6, operations 62 and 63 **select** the start point A and end point B, which define the source area, in response to information developed with refer- ence to cursor ... 3. The method of claim 2 **including**: forming an **image** representation of an outlining cur- sor; and **displaying** a view of ...

[Cited by 97](#) - [Related articles](#) - [All 2 versions](#)

Method and Apparatus for identifying Features of an **image** on a Video **Display**

MD Doyle - US Patent 4,847,604, 1989 - Google Patents

... 4,200,867, the color map can be used as a palette allow- 40 ing the video **display** user to ... For example, using this technique a 60 ball may appear to bounce across an **image**, a river ... of indices specified by the pixel bit map, and by using a **data** processor to **select** which segment ...

[Cited by 124](#) - [Related articles](#) - [All 2 versions](#)

Computer implemented method and system for transmitting graphical **images** from server to client at user **selectable** resolution

WJ Hunt, EJ Nest, SF Haber... - US Patent 5,764,235, 1998 - Google Patents

... TRANSMITTING GRAPHICAL **IMAGES** FROM SERVER TO CLD2NT AT USER **SELECTABLE** RESOLUTION BACKGROUND ... of example the principles of the mven- suitable for storing, **displaying** or printing ... amount of **data** code devices for transmitting the graphical **image** file to ...

[Cited by 201](#) - [Related articles](#) - [All 2 versions](#)

Distinctive **image** features from scale-invariant keypoints

DG Lowe - International journal of computer vision, 2004 - Springer

... Again, the top line is the repeatability of keypoint de- tection, and the results show that the repeatability con- tinues to increase with σ The scale of the keypoint is used to **select** the Gaussian smoothed **image**, L, with the closest scale, so that all computations are ...

[Cited by 11368](#) - [Related articles](#) - [61L Direct](#) - [All 218 versions](#)

[\[PDF\] from osu.edu](#)

Electronic still camera providing multi-format storage of full and **reduced** resolution **images**

DW Kuchta... - US Patent 5,164,831, 1992 - Google Patents

... Moreover, for a plural number of **images**, the corresponding "thumb- nail" **images** can be quickly accessed and displayed either in a mosaic frame or in sequence in order to **select** 50 the desired full resolution **image** for printing, **display**- ing, transmitting, etc. ...

[Cited by 282](#) - [Related articles](#) - [All 2 versions](#)

High-speed ultrasound volumetric imaging system. II. Parallel processing and **image display**

OT von Ramm, SW Smith... - ... and Frequency Control, ..., 1991 - [ieeexplore.ieee.org](#)

... 4. Right hand Cartesian coordinate system used in 3-D beam steering and **display** techniques. ... one obtains a scan that com- bines the advantages of a C-scan with those of the projection **image**. ... a C-scan in the form of a convex spherical shell centered at a **selectable** depth from ...

[Cited by 194](#) - [Related articles](#) - [All 7 versions](#)

Image display and archiving system and method

DA Dwyer, JE Handy, PE Curry... - US Patent ..., 1986 - Google Patents

... 1' 186 ALBUM DIRECTORY IS CREATED AND COPIED TO THE **IMAGE DISPLAY** SYSTEM'S HARD DISK I ... PREFERENCE FILE IS COPIED 203 OPERATOR IS ASK TO **SELECT** PRINTER, PRINT RESOLUTION, AND CAPTIONS OPTION I 204 r >^ **IMAGE** IS OPENED ...

[Cited by 183](#) - [Related articles](#) - [All 3 versions](#)

The spectral **image** processing system (SIPS)--interactive visualization and analysis of imaging spectrometer **data**

FA Kruse, AB Lefkoff, JW Boardman... - Remote sensing of ..., 1993 - Elsevier

... parameters using make_hist view spectra from the calibrated cube us- ing make_bbl and interactively **select** bad bands rotate **image** 180 to ... using convert to allow efficient spectral viewing and analysis Interactive Viewing and Analysis in SIPS_View **display** gray-scale ...

[Cited by 702](#) - [Related articles](#) - [61L Direct](#) - [All 16 versions](#)

Query by **image** and video content: The QBIC system

M Flickner, H Sawhney, W Niblack, J Ashley... - Computer, 1995 - [ieeexplore.ieee.org](#)

... Results on a few videos containing from 2,000 to 5,000 frames show no misses ... The user interface must be designed to let users easily **select** content-based properties, allow ... J. Ashley et al., "Automatic and Semiautomatic Methods for **Image** Annotation and Retrieval in QBIC ...

[Cited by 3451](#) - [Related articles](#) - [Library Search](#) - [61L Direct](#) - [All 38 versions](#)

[\[PDF\] from temple.edu](#)

[BOOK] JPEG still **image data** compression standard

WB Pennebaker... - 1993 - [books.google.com](#)

... Figures 1-16, 1-1c, and 1l</ show reconstructed **images** after lossy compression to 29,471 bytes, 9,416 ... The DCT allows users to **select** a level of **image** quality, and is a crucial element ... elements are lacking that are needed to define the meaning and format of the resulting **image**. ...

[Cited by 2020](#) - [Related articles](#) - [Library Search](#) - [All 8 versions](#)

Vision system for a vehicle **including** an **image** capture device and a **display** system having a long focal length

K Schofield, ML Larson... - US Patent 6,498,620, 2002 - Google Patents
 ... No.: W096/38319 PCT Pub. Date: Dec. 5, 1996 Prior Publication **Data** US 2002/0167589 A1 Nov. 14, 2002 Related US Application **Data** Continuation-in-part of application No. ... A **display** system displays an **image** synthesized from output of the **image** capture device. ...
 Cited by 119 - [Related articles](#) - [All 2 versions](#)

Image display and remote control system capable of displaying two distinct images

JB Sampsett - US Patent 6,496,122, 2002 - Google Patents
 ... **image** signals are input into the docking station 202 and the controller 106 within the docking station 202, the controller 106 can **select** the desired ... One selected **image** is displayed on the **image** screen 156, and another selected **image** is displayed on the **display** 114. ...
 Cited by 205 - [Related articles](#) - [All 3 versions](#)

Cellular telephone and electronic camera system with programmable transmission capability

KA Parulski... - US Patent 6,122,528, 2000 - freepatentsonline.com
 ... pen-based computer 12, where a stylus or "pen" is used to **select** various icons ... 68 is stored in the memory unit 64 and displayed on the **display** screen 56. ... camera system that includes a programmable transmission capability for selectively transmitting electronic **image data** to a ...
 Cited by 347 - [Related articles](#) - [Cited](#) - [All 2 versions](#)

Image-directed robotic system for precise robotic surgery including redundant consistency checking

E Glassman, WA Hanson, P Kazantzides... - US Patent ..., 1995 - Google Patents
 ... This is accomplished particular cross-sectional bone **image** that is selected for by (a) verifying with the train gages 40 that the bone **display** typically corresponds to the ... system 52 enables the surgeon to invoked from the pendant 26 and displayed on the dis- 15 **select** a desired ...
 Cited by 187 - [Related articles](#) - [All 4 versions](#)

Systems and methods for interactive image data acquisition and compression

DA Novik - US Patent 5,432,871, 1995 - Google Patents
 ... error due to the lossy nature of the compression, is displayed for an end user 132 interested in the **image** (such as on **display** 128 shown ... The expertise of the end user 132, and particularly his visual recognition capability as a human being, is employed to **select** an area of ...
 Cited by 120 - [Related articles](#) - [All 2 versions](#)

Display of hierarchical three-dimensional structures with rotating substructures

GG Robertson, J Mackinlay... - US Patent 5,285,243, 1994 - Google Patents
 ... invention allows the user to 60 **reduce** the part of a hierarchical structure that is presented for **display**, so that ... depending from it not be displayed; in response, the substructure can be re- 65 moved from the **image** and the node can be changed to **include** a **selectable** unit for ...
 Cited by 141 - [Related articles](#) - [All 2 versions](#)

Image storing managing apparatus and method for retrieving and displaying merchandise and customer specific sales information

H Harada... - US Patent 5,551,021, 1996 - Google Patents
 ... PURCHASE MERCHANDISE **DISPLAY** @@@@@ MERCHANDISE PURCHASE * CUSTOMER **DISPLAY** ^^ ^p **** IS ... Sheet 14 of 30 5,551,021 **SELECT** READY-MADE ... ON CLOTHES AND PRINT THE **IMAGE** -S72 S74 ...
 Cited by 142 - [Related articles](#) - [All 2 versions](#)

Image-directed robotic system for precise robotic surgery including redundant consistency checking

E Glassman, WA Hanson, P Kazantzides... - US Patent ..., 1992 - Google Patents
 ... A 10 particular cross-sectional bone **image** that is selected for **display** typically corresponds ... Menus invoked from the pendant 26 and displayed on the display 48 permit the surgeon to interrogate system 10 status, to **select** local actions such as manual guiding or withdrawal ...
 Cited by 515 - [Related articles](#) - [All 2 versions](#)

Image viewing station for picture archiving and communications systems (PACS)

HD Fisher, KM McNeil, R Verdillo... - US Patent ..., 1989 - Google Patents
 ... The processed **image data** is then stored in a **display** memory before being supplied to a **display** via a digital-to-analog converter for the **display**. It provides the user with extensive, concise and easy interactive **image** manipulation and processing capabilities. ...
 Cited by 118 - [Related articles](#) - [All 2 versions](#)

Electronic camera with quick review of last captured image

P Fellegara, RW Lourette, ME Miller... - US Patent ..., 2002 - Google Patents
 ... on the top of the main camera body 10 to **display** various camera status **data** to the ... an area for **displaying** information specific to film **images**; an area for 45 **displaying** information specific ... controls are provided on the top of the camera body 10 **including** an **image** capture mode ...
 Cited by 109 - [Related articles](#) - [All 3 versions](#)

Analyze: a comprehensive, operator-interactive software package for multidimensional medical image display and analysis

RA Robb, DP Hanson, RA Karwowski... - ... Medical Imaging and ..., 1989 - Elsevier
 ... Clipped Adaptive Histogram Equalization, 27 slices, 128X128X8bit, default parameters, **including** network transfer ... These processes allow the user to interactively **select**, **display**, modify, and manipulate (eg ... combine) objects or regions of interest within objects in the **image data**. ...
 Cited by 206 - [Related articles](#) - [All 5 versions](#)

Method and apparatus for controlling rapid display of multiple images from a digital image database

KA Parulski... - US Patent 5,414,811, 1995 - Google Patents
 ... **image** memories are allocated to the sections of the screen by mapping **image data** pixels to ...

of **images**, and the specific **images** from the **data** base, are user **selectable** and inde ... To **reduce** a latency time for **displaying images** responsive to user commands, the **images** may be ...

[Cited by 47](#) - [Related articles](#) - [All 2 versions](#)

Efficient and effective querying by image content

C Faloutsos, R Barber, M Flickner, J Hafner ... - Journal of Intelligent ... 1994 - Springer
... yellow, is shown in the left part of Figure 7. The palette on the left displays the set of **selectable** colors. ... results are displayed in order, from best match to nth best match (n is user-settable and we typically **display** the top ... Eazh **image** returned is displayed as a **reduced** "thumbnail". ...

[Cited by 1433](#) - [Related articles](#) - [All 2 versions](#)

[\[HTML\] from scientificcommons.org](#)

Marching cubes: A high resolution 3D surface construction algorithm

WE Lorensen... - ACM Siggraph Computer Graphics, 1987 - portal.acm.org
... Users **select** the desired surface by specify- ing a density value. This step can also **include** the ... We have used it with planes and with connectivity masks generated by separate **image** process- ing ... We **display** the models using an in-house z-buffer program or a General Electric ...

[Cited by 7452](#) - [Related articles](#) - [All 21 versions](#)

[\[PDF\] from fitziamelia.com](#)

[BOOK] The image processing handbook

JC Russ - 2002 - books.google.com
... Figures 4 and 5 show electron diffraction patterns from a transmission electron microscope, in which ... samples is revealed (but only to those who know how to interpret the **image**). Other kinds of **data including** weather maps with specialized symbols, graphs of business profit and ...

[Cited by 3435](#) - [Related articles](#) - [Library Search](#) - [All 23 versions](#)

Interactive display and analysis of 3-D medical images

PA Robb, C Barillot - Medical Imaging, IEEE Transactions on, 1989 - ieeeexplore.ieee.org
... This module is used to review, **select**, and nondestmctively process **image data** ... Imple- mentations provide comprehensive capabilities for inter- active multidimensional **image display**, editing, and ... **Image data** were provided by col- leagues in the Mayo Department of Radiology ...

[Cited by 244](#) - [Related articles](#) - [All 6 versions](#)

Accelerated image reconstruction using ordered subsets of projection data

HM Hudson ... - Medical imaging, IEEE Transactions ... 1994 - ieeeexplore.ieee.org
... of the OS-EM algorithm and a regularized form (GP in Section V). We aim to show the acceleration ... We believe it is advantageous to **select** subsets in a balanced way so that pixel activity contributes equally to ... HUDSON AND LARKIN: ACCELERATED **IMAGE** RECONSTRUnion ...

[Cited by 1840](#) - [Related articles](#) - [Sci Direct](#) - [All 13 versions](#)

[\[PDF\] from psu.edu](#)

System and method for remotely selecting photographic images

JR Fredlund, DL Patton, RRA Monon... - US Patent ... 1997 - Google Patents
... The payment interface screen 82 includes a use the computer **data** entry means to **select** one at a time the 45 scroll area 84 for ... Y- directions in the **display** area ... 5,666,215 7 8 alize **images** such as greeting cards and birth composing step (122) to render the **image** to the **reduced** ...

[Cited by 239](#) - [Related articles](#) - [All 2 versions](#)

Apparatus for manipulating documents in a data processing system utilizing reduced images of sheets of information which are movable

SR Levine, AJ Hanul, MW Schirpke... - US Patent ... 1991 - Google Patents
... 22,1991 sheet 8 of 9 5,060,135 **SELECT** INITIAL TABFUN [ENABLE TABFUNS PASS APPLICATION ... APP TO SUPERVISOR ON ORG DRAG ORG 1 REDRAW SCREEN43 SHOW EMPTY HAND ... Preferably, the stamps are formed by an **image** reduc- tion scheme which reduces ...

[Cited by 142](#) - [Related articles](#) - [All 2 versions](#)

Computer user interface for manipulating image fragments using drag, drop and merge operations

JF Cullen, M Pears... - US Patent 5,732,230, 1998 - Google Patents
... The user is able to **image**. As discussed below, the invention provides for **select** registration of the **image** fragments in the current "zooming" in on an **image** fragment to view more of the orientation of fragments on the **display** screen by activating detail of the **image** ...

[Cited by 51](#) - [Related articles](#) - [All 2 versions](#)

[Create email alert](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

displaying the selectable image data [Search](#)

[About Google Scholar](#) - [About Google](#) - [My Citations](#)

©2011 Google